

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.usplo.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/522,477	09/29/2005	Marco Nahmias Nanni	07040.0211	3884
22852 7590 10/03/2007 FINNEGAN, HENDERSON, FARABOW, GARRETT & DUNNER LLP			EXAMINER	
			FISCHER, JUSTIN R	
901 NEW YORK AVENUE, NW WASHINGTON, DC 20001-4413		ART UNIT	PAPER NUMBER	
WASHINGTO	N, DC 20001-4413		1733	
•		·	MAIL DATE	DELIVERY MODE
			· 10/03/2007	PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

· 'V,					
	Application No.	Applicant(s)			
-	10/522,477	NAHMIAS NANNI ET AL.			
Office Action Summary	Examiner	Art Unit			
	Justin R. Fischer	1733			
The MAILING DATE of this communication appears on the cover sheet with the correspondence address Period for Reply					
A SHORTENED STATUTORY PERIOD FOR REPLY WHICHEVER IS LONGER, FROM THE MAILING DA - Extensions of time may be available under the provisions of 37 CFR 1.13 after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period was reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMU 36(a). In no event, however, may vill apply and will expire SIX (6) N . cause the application to become	NICATION. or a reply be timely filed IONTHS from the mailing date of this communication. BABANDONED (35 U.S.C. § 133).			
Status					
1) Responsive to communication(s) filed on 13 Ju	<u>ıly 2007</u> .				
, <u> </u>	·				
3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is					
closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.					
Disposition of Claims					
4) Claim(s) 48-94 is/are pending in the application 4a) Of the above claim(s) is/are withdray 5) Claim(s) is/are allowed. 6) Claim(s) 48-94 is/are rejected. 7) Claim(s) is/are objected to. 8) Claim(s) are subject to restriction and/o	wn from consideration.				
Application Papers					
9) The specification is objected to by the Examine 10) The drawing(s) filed on is/are: a) accomposed and all accomposed are all accomposed and accomposed are all all accomposed and accomposed are all all all all all all all all all al	epted or b) objected drawing(s) be held in abe tion is required if the draw	yance. See 37 CFR 1.85(a). ing(s) is objected to. See 37 CFR 1.121(d).			
Priority under 35 U.S.C. § 119					
 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some * c) None of: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). * See the attached detailed Office action for a list of the certified copies not received. 					
Attachment(s) 1) Notice of References Cited (PTO-892) 2) Notice of Draftsperson's Patent Drawing Review (PTO-948) 3) Information Disclosure Statement(s) (PTO/SB/08) Paper No(s)/Mail Date	Paper	ew Summary (PTO-413) No(s)/Mail Date of Informal Patent Application			

Art Unit: 1733

DETAILED ACTION

Claim Rejections - 35 USC § 103

- 1. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:
 - (a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.
- 2. Claims 48-80, 83-88, and 90-94 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sumiyoshi (JP 2000-086824) and further in view of Exxon Mobil Chemical, Hawley Dictionary (of record), and Takeuchi (US 5,498,735, newly cited).

Sumiyoshi is directed to a tire construction formed of a composition comprising a diene-based rubber, a modified paraffin wax, and an olefin resin, wherein said resin can be Escorez ® 1102 (Paragraph 9- see attached translation). Exxon Mobil Chemical has been applied to expressly evidence the C5/C6 makeup of Escorez ® 1102 (Page 13-inherent chemical structure). In this instance, though, the references are completely silent as to whether the olefin resin system of Sumiyoshi is an alpha olefin resin system. In any event, one of ordinary skill in the art at the time of the invention would have found it obvious to form the olefin of Sumiyoshi as an alpha olefin since it represents one of the most common, if not the most common, form of an olefin resin. It is noted that Hawley's Dictionary includes a description of an alpha olefin under the definition of "olefin" and Takeuchi recognizes the common use of alpha olefins when forming similar material additives (plasticizers, surface active agents) (Column 1, Lines 5-15). These references clearly suggest that one of ordinary skill in the art at the time of the invention

Art Unit: 1733

would have found the general language of Sumiyoshi as including alpha olefins. It is emphasized that "alpha olefins" represent one of the most common, if not the most common, structure of olefin resins and applicant has not provided a conclusive showing of unexpected results to establish a criticality.

Regarding claim 49, the reference (Sumiyoshi) further teaches a loading for the wax between 0.5 and 10 phr (based on base rubber) and a loading for the olefin resin between 1 and 10 phr (based on base rubber). Using these values, the amount of olefin resin can vary between 0.1 and 20 times that of the wax, which fully encompasses the range of the claimed invention. Absent any conclusive showing of unexpected results, one of ordinary skill in the art at the time of the invention would have found it obvious to form the composition of Sumiyoshi with the claimed quantitative relationship since the reference describes a plurality of embodiments that satisfy the broad range of the claimed invention.

With respect to claims 49, 83-87, 92, and 93, the claimed tire materials are consistent with those conventionally used tire compositions. It is further noted that the compositions of Sumiyoshi are described as being usable in tire and having a high degree of ozone resistance- such language is commonly used when describing tire components that are exposed to the environment, such as the tread and the sidewall. As such, one of ordinary skill in the art at the time of the invention would have found it obvious to form the sidewall and/or tread of Sumiyoshi from the above noted composition. Lastly, the claimed materials are consistent with those commonly used to manufacture sidewalls and/or treads.

in/Control Number. 10/022,47

Art Unit: 1733

As to claims 51-55, Escorez ® 1102 has a number average molecular weight of approximately 890 (Page 26- inherent property of Escorez ® 1102).

With respect to claims 56-58, Escorez ® 1102 has a polydispersity index of 2.7 (Page 26- inherent property of Escorez ® 1102).

Regarding claims 59 and 60, Escorez ® 1102 has a softening point of 100 °C (Page 26- inherent property of Escorez ® 1102).

As to claims 61-68, 71, and 72, Sumiyoshi generally teaches a tire rubber composition including a petroleum hydrocarbon resin at a loading between 1 and 10 phr. Although not expressly disclosed by Sumiyoshi, such hydrocarbon resins and additional resins are commonly describes as being substituted or unsubstituted, branched or unbranched, and being saturated or having at least one degree of unsaturation. One of ordinary skill in the art at the time of the invention would have found it obvious to use a wide variety of hydrocarbon resins in the rubber composition of Sumiyoshi, including those that satisfy the broad range of parameters required by the claimed invention. It is emphasized that the claimed limitations in regards to branching, saturation, and cyclic moieties are consistent to the well known and conventional manner in which hydrocarbon resins are described and applicant has not provided a conclusive showing of unexpected results to establish a criticality for any of the claimed formulations. It is noted that Table 1 simply compares a composition devoid of polymer (c) and a composition having polymer (c)- these results do not establish a criticality for the specific use of any one tope of hydrocarbon resin.

Art Unit: 1733

With respect to claims 67 and 68, the claims as currently drafted do not require branching of quaternary carbon atoms (lower end of range is 0 percent).

Regarding claims 69 and 70, it is well recognized that higher degrees of crystallinity are associated with higher softening points. In this instance, Escorez ® 1102 has a relatively high softening point and as such, one of ordinary skill in the art at the time of the invention would have expected the hydrocarbon resin to demonstrate a crystallinity in accordance to the broad range of the claimed invention. It is further noted that Sumiyoshi is more broadly directed to the general class of petroleum hydrocarbon resins and such a disclosure would include a wide variety of resins having crystallinities in accordance to the broad range of the claimed invention.

With respect to claims 75-78 and 90, the modified paraffin wax of Sumiyoshi contains a lower molecular weight fraction B1 and a high molecular weight fraction B2. In this instance, (a) the lower molecular weight fraction is formed of compounds having between 24 and 29 carbon atoms and has a branched hydrocarbon content between 10 and 15 weight percent and (b) the higher molecular weight fraction is formed of compounds having between 32 and 38 carbon atoms and has a branched hydrocarbon content between 18 and 25 weight percent. This language suggests a linear saturated hydrocarbon content that satisfies the broad ranges of the claimed invention (between 85 and 90 weight percent of B1 is linear saturated hydrocarbon having 24-29 carbon atoms and between 75 and 82 weight percent of B2 is linear saturated hydrocarbon having 32-38 carbon atoms).

Art Unit: 1733

As to claims 79 and 80, the composition of Sumiyoshi includes paraffin wax (modified) at a loading between 0.5 and 10 phr, which fully encompasses the broad range of the claimed invention.

3. Claims 81, 82, and 89 are rejected under 35 U.S.C. 103(a) as being unpatentable over Sumiyoshi, Exxon Mobil Chemical, Hawley's Dictionary, and Takeuchi as applied in claims 48 and 88 above and further in view of Jorgensen (US 4,207,218). While Sumiyoshi is silent as to the specific base rubber component, the claimed values for the glass transition temperature are consistent with the values associated with common rubber formulations, as shown for example by Jorgensen (Column 2, Lines 15-45). It is emphasized that several of the disclosed rubbers are well recognized as being used in the tire industry. One of ordinary skill in the art at the time of the invention would have found it obvious to form the base rubber of Sumiyoshi from a material having a glass transition temperature below 20 degrees Celsius.

Response to Arguments

4. Applicant's arguments with respect to claims 48-94 have been considered but are moot in view of the new ground(s) of rejection. Applicant primarily argues that Sumiyoshi and the additional references fail to suggest, disclose, or teach an alpha olefin resin system. The examiner has applied additional references in the rejection to further obviate the use of an alpha olefin resin system. It is particularly noted that applicant even recognizes the limited number of possibilities for the location of the C=C double bond (Page 3 of Arguments). Given such a limited construction and the well known and common use of alpha olefin resin systems, one of ordinary skill in the art at

Application/Control Number: 10/522,477 Page 7

Art Unit: 1733

the time of the invention would have found it obvious to form the olefin resin system of Sumiyoshi as an alpha olefin resin system.

Conclusion

5. Any inquiry concerning this communication or earlier communications from the examiner should be directed to **Justin R. Fischer** whose telephone number is **(571) 272-1215**. The examiner can normally be reached on M-F (7:30-4:00).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Crispino can be reached on (571) 272-1226. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Justin R Fischer
Primary Examiner

Art Unit 1733